국 문 규 격 서

모	델명	관세분류번호 (HS-code)	정부물품분류번호 (8자리)	품 명	단위	수량
SI-	100R	8419.89.9090	41104405	쉐이킹인큐베이터 (진탕배양기)	EA	1



Ⅰ. 용도

일정 온도에서 일정 회전속도로 진탕시켜 동·식물 세포의 진탕배양, 호열성균 배양, 각종 효소촉매의 반응에 사용하는 배양기의 일종으로서 상온 및 이하 온도를 사용할때 사용되어 지는 장비 이다.

Ⅱ. 특징

- -. Digital PID Controller를 사용하여 온도 편차가 적고, 정확한 속도조절과 디지털 표시기능이 있어 사용자의 편리성을 우선적으로 고려하여 제작되었다.
- -. Chamber내부에 설치된 순환장치는 소음이 적으며 전체적인 온도 균일도를 유지
- -. 사용자의 안전을 고려하여 과열, 과전류 방지 장치와 도어가 열리면 교반장치가 자동으로 정지하는 안전기능이 있다..
- -. 다양한 형태의 Holder와 Plate로 구성되어 있으며 사용자의 규격에 맞게 주문제작도 가능
- -. 구조적으로 소음이 적은 교반장치로 설계되어 있다.
- -. 냉동기가 장착되어 있어 실온 이하의 배양실험에 적합하다.

Ⅲ. 사양

Spec.	/ Model	SI-100R	
	Range	0℃~60℃	
Temp	Controller	Digital PID Controller	
	Accuracy	±0.2℃ at 37℃	
Size	Internal (WxDxH, mm)	530x560x380	
Size	External (WxDxH, mm)	590x850x880	
Safety	Electrical	Over temp limiter, ELB(Earth Leakage Circuit Breaker), Pause Stop	
Material	Internal	Stainless steel #304	
	External	. Steel, Powder coating	
Speed Range		20 ~300 rpm	
Shak	king Stroke	20mm Orbital Motion	
Ligi	nt System	Ktypton Lamp 60WKtypton Lamp 60W or LED Lamp	
Re	frigerator	1/4HP	
Electric	Requirements	220VAC. 50 or 60Hz(Option)	

Ⅳ. 기타조건

Warranty 12개월